

.Title: COMPRESSOR DIAGNOSTIC SYSTEM


Inventors: Nagaraj Jayanth et al. Atty. Ref.: 0315-000510/COD




• Title: COMPRESSOR DIAGNOSTIC SYSTEM Inventors: Nagaraj Jayanth et al.
Atty. Ref.: 0315-000510/COD




Title: COMPRESSOR DIAGNOSTIC SYSTEM Inventors: Nagaraj Jayanth et al.
Atty. Ref.: 0315-000510/COD



-Title: COMPRESSOR DIAGNOSTIC SYSTEM Inventors: Nagaraj Jayanth et al. Atty. Ref.: 0315-000510/COD





Title: COMPRESSOR DIAGNOSTIC SYSTEM Inventors: Nagaraj Jayanth et al.



- Title: COMPRESSOR DIAGNOSTIC SYSTEM


Inventors: Nagaraj Jayanth et al. Atty. Ref.: 0315-000510/COD






→ Title: COMPRESSOR DIAGNOSTIC SYSTEM

Inventors: Nagaraj Jayanth et al. Atty. Ref.: 0315-000510/COD




- Title: COMPRESSOR DIAGNOSTIC SYSTEM Inventors: Nagaraj Jayanth et al. Atty. Ref.: 0315-000510/COD



- Title: COMPRESSOR DIAGNOSTIC SYSTEM Inventors: Nagaraj Jayanth et al.
Atty. Ref.: 0315-000510/COD

9/10 Diagnostics Using On-Time Before Trips



▼Title: COMPRESSOR DIAGNOSTIC SYSTEM Inventors: Nagaraj Jayanth et al. Atty. Ref.: 0315-000510/COD

10/10 100% -75% OD RH Capacity Loss (Fault) 80% 40% OD RH 60% % Run Time Normal Range (No Fault) 40% 20% 0% 70 *75* 80 85 90 95 100 65 Outdoor Amb. (F)

